

-BEFORE THE PUBLIC SERVICE COMMISSION OF UTAH-

In the Matter of the Termination of Electric)
Service Where Life Support Equipment is) DOCKET NO. 09-035-32
Used: Craig and Kate Keyes) ERRATUM REPORT AND ORDER
)

ISSUED: June 10, 2009

By The Commission:

It has come to the attention of the Commission that there is an error in the recent Report and Order (“Order”) sent by the Commission on June 4, 2009. On page one of the Order, under - BEFORE THE PUBLIC SERVICE COMMISSION OF UTAH - it reads, "In the Matter of the Termination of Electric Service Where Life Support Equipment is Used: Craig and Kate Keves". It should read, "In the Matter of the Termination of Electric Service Where Life Support Equipment is Used: Craig and Kate **Keyes**". There is an additional error on page one in the third sentence of the first paragraph. It reads, "petition to terminate service for CRAIG AND KATE KEVES (Respondents). No hearing was held in this matter." It should read, “petition to terminate service for CRAIG AND KATE **KEYES** (Respondents). No hearing was held in this matter.”

ORDER

NOW, THEREFORE, IT IS HEREBY ORDERED, that:

This Erratum Report and Order shall be retroactive to the date of issuance of the said Order, June 4, 2009.

DOCKET NO. 09-035-32

-2-

DATED at Salt Lake City, Utah, this 10th day of June, 2009.

/s/ Ruben H. Arredondo
Administrative Law Judge

Approved and confirmed this 10th day of June, 2009, as the Erratum Report and
Order of the Public Service Commission of Utah.

/s/ Ted Boyer, Chairman

/s/ Ric Campbell, Commissioner

/s/ Ron Allen, Commissioner

Attest:

/s/ Julie Orchard
Commission Secretary

G#62420